

according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier RUBBAFLE

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

One-component polyurethane adhesive for sport systems. For professional use only.

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name

The Rubber Company Limited t/a RubberSmart

Greatbridge Road, Romsey, SO51 0HR

United Kingdom

 Phone
 +44 (0) 1794 328412

 Email
 info@rubbersmart.co.uk

Competent person responsible for the safety data sheet

Name RubberSmart

Email info@rubbersmart.co.uk

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

Address

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Acute Tox. 4, H332 Resp. Sens. 1, H334 STOT SE 3, H335 Carc. 2, H351

STOT RE 2, H373

Most serious adverse effects on human health and the environment

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Hazard pictogram





Signal word

Danger

Hazardous substances

Polymeric diphenylmethane diisocyanate, Polymeric MDI 4,4'-methylenediphenyl diisocyanate

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe vapours.

P264 Wash hands and exposed parts of the body thoroughly after handling.

P280 Wear eye protection/protective gloves/protective clothing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE if you feel unwell.

P342+P311 If experiencing respiratory symptoms: Call a doctor.

Supplemental information

As from 24 August 2023 adequate training is required before industrial or

professional use.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 9016-87-9 EC: 618-498-9	Polymeric diphenylmethane diisocyanate, Polymeric MDI	30-60	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Acute Tox. 4, H332 Resp. Sens. 1, H334 STOT SE 3, H335 Carc. 2, H351 STOT RE 2, H373 EUH204 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 5 % Skin Irrit. 2, H315: C ≥ 5 % Resp. Sens. 1, H334: C ≥ 0.1 % STOT SE 3, H335: C ≥ 5 %	3
Index: 615-005-00-9 CAS: 101-68-8 EC: 202-966-0	4,4'-methylenediphenyl diisocyanate	15-40	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Acute Tox. 4, H332 Resp. Sens. 1, H334 STOT SE 3, H335 Carc. 2, H351 STOT RE 2 (**), H373 Specific concentration limit: Eye Irrit. 2, H319: C ≥ 5 % Resp. Sens. 1, H334: C ≥ 0.1 % STOT SE 3, H335: C ≥ 5 % Skin Irrit. 2, H315: C ≥ 5 %	1, 2, 3, 4

Notes

- ** another exposure route cannot be ruled out
- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 Note 2: The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

- 3 A substance for which exposure limits are set.
- 4 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0

Revision date 06th October 2025

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Keep container tightly closed.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Directive (EU) 2024/869 of the European Parliament and of the Council

Substance name (component)	Туре	Value
Polymeric diphenylmethane diisocyanate, Polymeric MDI (CAS:	OEL 8 hours	10 μg/m3
9016-87-9)	OEL 15 minutes	20 μg/m3

Notes

The substance can cause sensitisation of the skin and of the respiratory tract.

As NCO.

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class
Butyl rubber (IIR)	≥ 0.3 mm	>480 min	6

Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment. Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid Colour straw

Odour slightly musty
Melting point/freezing point data not available
Boiling point or initial boiling point and boiling range data not available

Flammability The product is non-flammable.

Lower and upper explosion limit data not available

Flash point >200 °C

Auto-ignition temperature data not available
Decomposition temperature data not available
pH data not available

Kinematic viscosity 1000-4500 mm²/s at 40 °C

Solubility in water insoluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1.05-1.10 g/cm³ at 25 °C

Relative vapour density
Particle characteristics
data not available
form
liquid: viscous, liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0

Revision date 06th October 2025

Acute toxicity

Harmful if inhaled. Data for the components of the mixture are not available.

RUBBAFLEX MF2						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Inhalation (vapor)	ATE	15.71 mg/l				Calculation of value

Skin corrosion/irritation

Causes skin irritation. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes serious eye irritation. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Data for the components of the mixture are not available.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

Suspected of causing cancer. Data for the components of the mixture are not available.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

May cause respiratory irritation. Data for the components of the mixture are not available.

Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure. Data for the components of the mixture are not available.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

12.2. Persistence and degradability

No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

12.4. Mobility in soil

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.


14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

4,4'-methylenediphenyl diisocyanate

Restriction	ediphenyl diisocyanate Conditions of restriction
56	1. Shall not be placed on the market after 27 December 2010, as a constituent of mixtures in concentrations equal to or greater than 0,1 % by weight of MDI for supply to the general public,
	unless suppliers shall ensure before the placing on the market that the packaging: (a) contains protective gloves which comply with the requirements of Council Directive 89/686/EEC
	(*******); (b) is marked visibly, legibly and indelibly as follows, and without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures: "— Persons already sensitised to diisocyanates may develop allergic reactions when using this
	product. — Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
	— This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used."
	2. By way of derogation, paragraph 1(a) shall not apply to hot melt adhesives.
74	1. Shall not be used as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 August 2023, unless: (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or
	(b) the employer or self-employed ensures that industrial or professional user(s) have successfully completed training on the safe use of diisocyanates prior to the use of the substance(s) or mixture (s).
	2. Shall not be placed on the market as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 February 2022, unless: (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or
	(b) the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information on the requirements referred to in point (b) of paragraph 1 and the following statement is placed on the packaging, in a manner that is visibly distinct from the rest of the label information: "As from 24 August 2023 adequate training is required before industrial or professional use". 3. For the purpose of this entry "industrial and professional user(s)" means any worker or self-employed worker handling diisocyanates on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) or supervising these tasks.
	4. The training referred to in point (b) of paragraph 1 shall include the instructions for the control of dermal and inhalation exposure to diisocyanates at the workplace without prejudice to any national occupational exposure limit value or other appropriate risk management measures at national level. Such training shall be conducted by an expert on occupational safety and health with competence acquired by relevant vocational training. That training shall cover as a minimum: (a) the training elements in point (a) of paragraph 5 for all industrial and professional use(s).
	 (b) the training elements in points (a) and (b) of paragraph 5 for the following uses: handling open mixtures at ambient temperature (including foam tunnels); spraying in a ventilated booth; application by roller;
	 application by brush; application by dipping and pouring; mechanical post treatment (e.g. cutting) of not fully cured articles which are not warm anymore;
	 cleaning and waste; any other uses with similar exposure through the dermal and/or inhalation route; (c) the training elements in points (a), (b) and (c) of paragraph 5 for the following uses: handling incompletely cured articles (e.g. freshly cured, still warm); foundry applications;
	 maintenance and repair that needs access to equipment; open handling of warm or hot formulations (> 45 °C); spraying in open air, with limited or only natural ventilation (includes large industry working halls) and spraying with high energy (e.g. foams, elastomers); and any other uses with similar exposure through the dermal and/or inhalation route.
	5. Training elements:(a) general training, including on-line training, on:– chemistry of diisocyanates;– toxicity hazards (including acute toxicity);



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

4,4'-methylenediphenyl diisocyanate

Restriction	ediphenyl diisocyanate Conditions of restriction
221.130.01.	- exposure to diisocyanates;
	occupational exposure limit values;
	— how sensitisation can develop;
	— odour as indication of hazard;
	— importance of volatility for risk;
	- viscosity, temperature, and molecular weight of diisocyanates;
	— personal hygiene;
	personal protective equipment needed, including practical instructions for its correct use and its
	limitations;
	— risk of dermal contact and inhalation exposure;
	- risk in relation to application process used;
	skin and inhalation protection scheme;ventilation:
	,
	— cleaning, leakages, maintenance;
	— discarding empty packaging;
	— protection of bystanders;
	— identification of critical handling stages;
	— specific national code systems (if applicable);
	— behaviour-based safety;
	— certification or documented proof that training has been successfully completed
	(b) intermediate level training, including on-line training, on:
	— additional behaviour-based aspects;
	— maintenance;
	— management of change;
	evaluation of existing safety instructions;
	— risk in relation to application process used;
	— certification or documented proof that training has been successfully completed
	(c) advanced training, including on-line training, on:
	— any additional certification needed for the specific uses covered;
	— spraying outside a spraying booth;
	— open handling of hot or warm formulations (> 45 °C);
	— certification or documented proof that training has been successfully completed
	6. The training shall comply with the provisions set by the Member State in which the industrial or
	professional user(s) operate. Member States may implement or continue to apply their own national
	requirements for the use of the substance(s) or mixture(s), as long as the minimum requirements
	set out in paragraphs 4 and 5 are met.
	7. The supplier referred to in point (b) of paragraph 2 shall ensure that the recipient is provided with
	training material and courses pursuant to paragraphs 4 and 5 in the official language(s) of the
	Member State(s) where the substance(s) or mixture(s) are supplied. The training shall take into
	consideration the specificity of the products supplied, including composition, packaging, and design.
	8. The employer or self-employed shall document the successful completion of the training referred
	to in paragraphs 4 and 5. The training shall be renewed at least every five years.
	9. Member States shall include in their reports pursuant to Article 117(1) the following information:
	(a) any established training requirements and other risk management measures related to the
	industrial and professional uses of diisocyanates foreseen in national law;
	(b) the number of cases of reported and recognised occupational asthma and occupational respiratory
	and dermal diseases in relation to diisocyanates;
	(c) national exposure limits for diisocyanates, if there are any;
	(d) information about enforcement activities related to this restriction.
	10. This restriction shall apply without prejudice to other Union legislation on the protection of safety
	and health of workers at the workplace.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH204 Contains isocyanates. May produce an allergic reaction.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Guidelines for safe handling used in the safety data sheet

P260 Do not breathe vapours.

P264 Wash hands and exposed parts of the body thoroughly after handling.

P280 Wear eye protection/protective gloves/protective clothing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE if you feel unwell.

P342+P311 If experiencing respiratory symptoms: Call a doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity

ADR Agreement concerning the international carriage of dangerous goods by road

ATE Acute toxicity estimate
BCF Bioconcentration Factor
Carc. Carcinogenicity

CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances
EmS Emergency Response Procedures for Ships Carrying Dangerous Goods

EU European Union

EuPCS European Product Categorisation System

Eye Irrit. Eye irritation

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log KowOctanol-water partition coefficientOELOccupational Exposure Limits

PBT Persistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

Resp. Sens. Respiratory sensitization

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure

UN number Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials



according to Commission Regulation (EU) 2020/878 as amended

RUBBAFLEX MF2

Creation date 05th February 2001 Version 15.0 Revision date 06th October 2025

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Page